

# Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2022-08-25

## Section 1 - Product and Company Information

**Product Name:** Flex Filler 2 (B-Side) - gallon

**Product Part Number(s):** 2000-1B,

**Recommended Use:** Flexible and Rigid Epoxy Filler for plastic.

**COMPANY IDENTIFICATION:**

Polyvance  
1128 Kirk Rd.  
Rainsville, AL 35986

**Information email:** info@polyvance.com

**EMERGENCY TELEPHONE NUMBER:**

**24 Hour Emergency contact:** Chemtrec: 1-800-424-9300  
Outside US: 703-527-3887

**Customer Information Number:** 256-638-4103 (7AM - 4PM (CST) M-F)

## Section 2 - Hazards Identification

**Appearance:** Black, high-viscosity liquid

**Odor:** Slight ether odor

**Hazard Statement:**

May be harmful if swallowed. Causes skin irritation. Causes eye irritation.

**Signal Word:** Not Applicable

**Signal Word Hazard:** Not Applicable

GHS Physical Hazard Pictogram	GHS Health Hazard Pictogram(s)	GHS Environmental Hazard Pictogram
Not Applicable	 Irritant	Not Applicable

### GHS Hazards Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Health	H303	May be harmful if swallowed
Health	H315	Causes skin irritation
Health	H320	Causes eye irritation

**Precautionary Statement:**

Keep out of reach of children. Read label before use. Do not get in eyes, on skin, or on clothing.

### GHS Precautionary Statement Codes for This Product

Statement Type	Statement Code	Statement Text
General	P102	Keep out of reach of children
General	P103	Read label before use
Prevention	P262	Do not get in eyes, on skin, or on clothing

## Potential Health Effects

---

<b>Eye Contact:</b>	Skin: Slightly irritating. Prolonged exposure may cause allergic skin reaction in susceptible individuals.
<b>Skin Absorption:</b>	Redness, allergy reaction, eczema or skin conditions.
<b>Inhalation:</b>	May result in irritation of nose, throat, and respiratory tract.
<b>Ingestion:</b>	Slightly toxic, may cause irritation of throat, mouth and gastrointestinal irritation.

---

## Section 3 - Composition / Information on Ingredients

---

Component	CAS #	ENIECS	REACH Reg. No.	Amount
Aliphatic petroleum Naphthas	64742-89-8			<1%
Epichlorohydrin-polyglycol reaction product	9072-62-2			12 - 17%
Epichlorohydrin-polyglycol reaction product	2142-30-3			18 - 22%
Calcium Carbonate	471-34-1			45 - 50%
Epoxy Resin	26142-30-3			5 - 10%
Epoxy Resin	41638-13-5			5 - 10%
Fumed Silica	112945-52-5			1 - 5%
Cellulose Fiber	65996-61-4			1 - 5%

---

## Section 4 - First Aid Measures

---

<b>Eye Contact:</b>	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
<b>Skin Contact:</b>	Wash with soap and water and rinse thoroughly.
<b>Medical Conditions Aggravated by Exposure:</b>	Respiratory tract, skin, and gastrointestinal irritation.

---

## Section 5 - Firefighting Measures

---

<b>Extinguishing Media:</b>	Foam, alcohol foam, CO2, Dry Chemical, Water fog
<b>Unusual Fire or Explosion Hazards:</b>	Combustion and combustion products may be toxic.
<b>Fire Fighting Procedures:</b>	For large fires, use self contained breathing apparatus

---

## Section 6 - Accidental Release Measures

---

<b>Methods For Clean Up:</b>	Soak up with absorbent material and place in ventilated waste container for disposal.
<b>Methods for Containment:</b>	Dispose of in accordance to applicable federal, state and local regulations. Do not contaminate lakes, streams, or other water supplies.

---

## Section 7 - Handling and Storage

---

<b>General Handling Practices:</b>	Keep out of reach of children. Keep tightly closed. Eating, drinking and smoking should be prohibited where there is potential exposure to toxic material.
<b>Storage Requirements:</b>	Store in a cool, dry, well ventilated place. Keep tightly closed to prevent leakage and retain activity. Store away from open flames. Prevent skin and eye contact with appropriate clothing

---

and safety glasses.

## Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Type	Value	Remarks
Aliphatic Petroleum Naphthas	OSHA	PEL	400 ppm	STEL
Aliphatic Petroleum Naphthas	ACGIH	TLV	300 ppm	TWA
Aliphatic Petroleum Naphthas	OSHA	PEL	300 ppm	TWA

### Personal Protective Equipment (PPE):

**Eye / Face Protection:** Safety glasses with side shields.

**Skin Protection:** Rubber or plastic.

**Respiratory Protection:** When used in a confined area, an approved chemical/mechanical filter, designed to remove a combination of particles and vapors, should be used.

**Hygienic Measures:** Wash hands before eating, smoking, or using the wash room.

**Other Protection Measures:** Wear impervious clothing and boots. Eye wash stations and safety showers should be available.

**Engineering Controls:** Provide sufficient mechanical, general, or local exhaust ventilation.

**HMIS Personal Protection:** E



## Section 9 - Physical and Chemical Properties

**Appearance:** Black, slight ether odor

**Color:** Black

**Odor:** Slight ether odor

**Odor Threshold:** Not determined

**pH:** Not determined

**Melting Point:** No data available

**Freezing Point:** No data available

No data available

**Boiling Range:** No data available

**Flash Point:** 65 C (150 F)

**Evaporation Rate:** No data available

**Flammability:** No data available

**Upper Flammability Limit:** 6

**Lower Flammability Limit:** 0.9

**Vapor Pressure:** No data available

**Vapor Density:** Heavier than air

**Specific Gravity:** 1.7

**Solubility in Water:** Not Soluble

**Partition Coefficient:** No data available

**Autoignition Temperature:** No data available

**Decomposition Temperature:** No data available

Viscosity: No data available

---

## Section 10 - Stability and Reactivity

---

**Chemical Stability:** Stable

**Conditions to Avoid:** Extreme heat, open flames

**Incompatible Materials:** Strong oxidizing agents, mercaptans, strong acids, bases and amines.

**Hazardous Decomposition Products:** CO, CO<sub>2</sub>, H<sub>2</sub>S, HCl, and oxides of nitrogen.

**Products:**

**Hazardous Polymerization:** Will Not Occur

---

## Section 11 - Toxicological Information

---

**Ingestion Toxicity:** Not available

**Skin Absorption:** Not available

**Inhalation:** Not available

**Sensitization:** Not available

**Acute Dose:** Not available

**Repeated Dose:** Not available

**Carcinogenicity:** Not available

**Corrosivity:** Not available

**Neurological:** Not available

**Reproductive:** Not available

**Genetic:** Not available

**Developmental:** Not available

**Eye Irritation:** Not available

**Skin Irritation:** Not available

**Target Organs:** Not available

---

## Section 12 - Ecological Information

---

**EcoToxicity:** Not available

**Persistence/Degradability:** Not available

**Bioaccumulation:** Not available

**Mobility / Partitioning:** Not available

**Other Adverse Effects:** Not available

---

## Section 13 - Disposal Considerations

---

**Disposal Method:** Dispose of in accordance to applicable federal, state and local regulations. Do not contaminate lakes, streams, or other water supplies.

**Container Disposal:** Disposal must be made according to official regulations.

---

## Section 14 - Transport Information

---

## **DOT**

**Proper Shipping Name:** Adhesive NOI

## **IMDG (Maritime transport)**

**Proper Shipping Name:** Adhesive NOI

## **IATA (Air transport)**

**Proper Shipping Name:** Adhesive NOI

---

## **Section 15 - Regulatory Information**

---

Superfund Amendments and Reauthorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986)  
Sections 311 and 312

Immediate (Acute) Health Hazard: Not available

Delayed (Chronic) Health Hazard: Not available

Fire Hazard: Not available

Reactive Hazard: Not available

Sudden Release of Pressure: Not available

---

**The following lists hazardous components and the regulatory lists for which they are required to be reported.**

---

**Component:** Aliphatic petroleum Naphthas

**CAS:** 64742-89-8

**Amount:** <1%

Aliphatic petroleum Naphthas is listed with New Jersey Right to Know.

---

**Component:** Cellulose Fiber

**CAS:** 65996-61-4

**Amount:** 1 - 5%

Cellulose Fiber is listed with Pennsylvania Right to Know.

---

**Component:** Epoxy Resin

**CAS:** 41638-13-5

**Amount:** 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know.

Epoxy Resin is listed with Pennsylvania Right to Know.

---

**Component:** Epoxy Resin

**CAS:** 26142-30-3

**Amount:** 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know.

Epoxy Resin is listed with Pennsylvania Right to Know.


---

#### HMIS Rating (0 - 4)

<b>HEALTH</b>	<b>1</b>	Health = 1
<b>FIRE</b>	<b>1</b>	Fire = 1
<b>PHYSICAL</b>	<b>1</b>	Physical = 1
<b>PERSONAL PROTECTION</b>	<b>E</b>	Personal Protection = E

---

#### NFPA Ratings



## Section 16 - Other Information

---

### Legend

ACGIH	American Conference of Governmental Hygienists
CFR	Code of Federal Regulations
DFG	Deutsche Forschungsgemeinschaft
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
MAK	Maximum Allowable Concentration (German)

---

NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
RCRA	Resource Conservation and Recovery Act
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

---

## **DISCLAIMER**

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.